New levels in ¹⁶⁰Dy from the beta decay of ¹⁶⁰Tb

S. Deepa¹*, Dwaraka Rani Rao¹, K Venkataramaniah²

¹Department of Physics, Sri Sathya Sai Institute of Higher Learning, Anantapur, 515001, INDIA ² Department of Physics, Sri Sathya Sai Institute of Higher Learning, Prasanthinilayam, 515134, INDIA, * email: deepaseetharaman@sssihl.edu.in

Introduction

The radioactive even-even nucleus ¹⁶⁰Tb lies nestled between two stable odd-odd nuclei ¹⁶⁰Gd and ¹⁶⁰Dy in the A=160 mass chain. The ground state spin of ¹⁶⁰Tb is 3-. This unstable nucleus decays by β^{-} emission (t¹/₂ = 72.3 d) to the excited levels of ¹⁶⁰Dy. Most recent beta decay studies [1,2,3] report that about five energy levels greater than 1300 keV are excited in the daughter ¹⁶⁰Dy in the decay. But as a result of the recent nuclear reaction studies leading to ¹⁶⁰Dy, many levels existing in the 1300 -1800 keV energy range with low spin-parity were observed and adopted [4] as shown in table 1.

Table 1: Excited levels (in keV) in ¹⁶⁰Dy observed in nuclear reaction studies

G 1	T 1	а ·
Study	Level	Spin,
	Energy	Parity
160 Dy(d,d')	1349.76	2+
	1643.26	3-
	1654.99	3+/4+
	1694.36^{*}	4+
Coulomb	1349.76	2+
Excitation	1643.26	3-
158 Dy(t,p)	1349.76	2+
	1518.42	2+
	1654.99	3+/4+
	1756.92	2+
	1650.873	4-,5-
162 Dy(p,t)	1349.76	2+
160 Dy(γ, γ')	1349.76	2+
	1489.50	1-
161 Dy(3 He, α)	1784.69	4-
	1607.86	4+
	1650.873	4-,5

*Also seen in other reactions

The total Q_{β} of the ¹⁶⁰Tb decay is 1835.1(13). By the simple beta decay selection rules, some of these energy levels with suitable $J\pi$ ought to have some beta feeding too. However, no report

of such beta feeding or of depopulating gamma rays from these levels was made so far. Few new γ rays of 53.51, 73.59, 97.82, 99.72, 148.75, 320.50, 707.54, 728.27, 1265.3, 1358.7 and 1556.6 keV were observed in some studies [5] for the first time in the decay of ¹⁶⁰Tb:. However with the exception of the 707.54 and 1556.6 keV gammas, these transitions were not incorporated into the current ¹⁶⁰Dy level scheme. Hence with an aim to look for the above transitions, as well as to search for gamma transitions from the other accessible levels identified in table 1, this study was undertaken.

Experiment

The radioisotope ¹⁶⁰Tb was obtained as Terbium Chloride in HCl from the Board of Radiation and Isotope Technology, BARC, Mumbai. Sources with an activity of ≈ 1000 cps were prepared for the gamma spectroscopy. The gamma spectra were acquired with the sources placed at 25 cm from the large volume, coaxial type HPGe detector (EG & G ORTEC-GMX series). The detector has an active volume of 60 cc and FWHM of 1.8 keV at 1.33 MeV and 665 eV at 5.9 keV. The detector was coupled to an 8K Multi Channel Analyzer. The unshielded detector's energy and efficiency calibration were performed with IAEA standard sources of point geometry, which were also placed at distance of 25 cm from the detector. Spectral acquisition and analysis was performed with MCA emulator and spectrum analysis software GammaVision-32 and the interactive computer program FIT [6]. The typical counting periods were about 5 x 10^5 seconds. The partial gamma spectrum of the decay of ¹⁶⁰Tb is shown in Fig. 1. The spectra were also examined for any impurity activity that may be present in the radioisotope. Some γ rays belonging to the decays of ¹⁵³Sm, ¹⁵²Eu and those due to the natural background radiation were observed in the spectra.



Fig. 1: Partial gamma singles spectrum: ¹⁶⁰Dy

Results and discussion

The gamma intensities were normalized with respect to the intense 879.4 keV transition taken as 100. Table 2 presents the relative gamma intensities of a few select transitions determined in the present study.

Table 2: Gamma energies and relative gamma intensities in ¹⁶⁰Tb beta decay (partial list)

Εγ	Rel. Iy	Rel. Iy	EL/ML
(keV)	(present)	(adopted)	
86.81	44.5(4)	43.7(4)	E2
298.54	86.4(8)	86.8(6)	E1
349.69	0.051(7)	0.048(3)	-
682.30	1.97(4)	1.98(3)	E2
707.53	0.044(16)	0.033(17)	E2
765.24	6.99(7)	7.11(4)	E2+M1
872.06	0.728(16)	0.723(12)	M1+E2
879.38	100.0(1)	100.0(2)	E2+M1
962.29	31.9(3)	32.6(3)	E2+M1
1251.27	0.353(11)	0.352(3)	E1(+M2)

The relative gamma intensities from the present study are in very good agreement with the adopted values, thus establishing the credibility of our measurements.

An extensive search for weak gamma transitions from levels of ¹⁶⁰Dy mentioned in Table 1 was also made in order to look for evidence of these being populated in the decay. The search led to the identification and analysis of a number of new gamma transitions. Their tentatively

measured energies and relative intensities are given in Table 3. The uncertainties in I_{γ} vary from 15-60%. Detailed coincidence studies are however required for their confirmation.

Table 3: New gamma transitions: ¹⁶⁰Tb decay

E _{level}	Jπ	Εγ	Ιγ	Probable
(keV)		(keV)		ML/EL
1386.4	4-	99.7	0.003	M1
1286.7	3-	320.5	0.022	E1
1535.1	4-	148.7	0.0096	M1
1489.5	1-	1402.7	0.009	E1
		1489.5	0.017	E1
1518.4	2+	232.8	0.031	E2
		1431.7	0.006	M1
1643.3	3-	153.8	0.039	E2
		1556.5	0.031	E1
1694.3	4+	645.2	0.039	M1
1784.7	4-	1500.7	0.09	E1

The assignment of the new gamma rays to the levels in ¹⁶⁰Dy is done here only on the basis of the gamma energy matching the energy difference between these established levels. The presence of weak gammas at 73.59, 97.82 320.50, 728.27, 1265.3 and 1358.7 keV proposed earlier [5] could not be verified due to their proximity to impurity peaks in the radioisotope and those due to background.

A tentative decay scheme of ¹⁶⁰Tb was constructed using the program GTOL by including the information about the new gammas and levels determined in the present study. This has resulted in a revised set of beta feedings to the levels of ¹⁶⁰Dy which are consistent.

References

- K. Chattopadhyay, J. M. Chatterjee, B. Sethi, Il Nuovo Cimento 82A, 403 (1984)
- [2] D. Mehta et al., Nucl. Instrum. Meth. A245 447 (1986).
- [3] K. Singh et al., Appl. Radiat. Isot. 43, 1521 (1992)
- [4] C. W. Reich, Nucl. Data Sheets 105, 610 (2005).
- [5] I. Adam et al, Proc.36th Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, 119 (1986).
- [6] V. Petkov and N. Bakaltchev, J. Appl. Crystallogr. 23, 138 (1990).